



SPECIFICATION

This is an aluminum casting that is machined by holding on the outer diameter first, and machining the back of the casting so that the chuck-jaw will hold onto the back inside of the casting. The front of the casting can be machined to size. Next, the casting is placed in a fixture and holes are drilled to tolerance.

After the machining, drilling, and deburring are done, the casting can then be placed on the studs of an axle of a semi-truck. The nuts can be secured with a wrench.



Di-
-t

DESCRIPTION OF DRAWING VIEWS

Drawing #1 is the front view of the casting after complete machining.

Drawing #2 is the side view if casting was cut in half.

Drawing #3 is the back view of casting after finish machining.

CLAIM

Inventor: I, Douglas S Huber, claim that I invented and made the design by myself. I am the first to invent this axle cover made from the pattern that I designed and made.

ABSTRACT OF DISCLOSURE

This is a new invention. The wheel cover casting is bolted to the outside of the axle to give a very pleasant look to the axle and to the overall appearance of the truck.

| | | | | | | | | |
|---------------------|--|----------------------|----------------|-------------|----------------------|---------------|----------|-----------------------------------|
| FLOYD V. HUBER, JR. | | DOUGLAS S. HUBER | LLC 1002171001 | 226 PCR 522 | PERRYVILLE, MO 63775 | DATE | 10/28/00 | 1093 |
| 1093 | | COMMUNION FOR PASTOR | | \$10.00 | | TOOK A 99/180 | | 20/20 CHECKING |
| | | | | | | | | DOUBTS |
| | | | | | | | | SECURITY DEPT. |
| | | | | | | | | 14 N. Jackson |
| | | | | | | | | Permyville, MO 63775 |
| | | | | | | | | Bank Fidelity |
| | | | | | | | | FOR RECEIVED 005535294 1093 |



6/26/04
D
A

DESCRIPTION OF DRAWING VIEWS

Drawing #1 is the front view of the casting after complete machining.

Drawing #2 is the side view if casting was cut in half.

Drawing #3 is the back view of casting after finish machining.

CLAIM

Inventor: I, Douglas S Huber, claim that I invented and made the design by myself.
I am the first to invent this axle cover made from the pattern that I designed and made.

ABSTRACT OF DISCLOSURE

This is a new invention. The wheel cover casting is bolted to the outside of the axle to give a very pleasant look to the axle and to the overall appearance of the truck.

1509 Boones Lick
St Charles MO 63301

6/26/04 Assignment date: 09/20/2004 SURETECH
06/26/2004 SMITHHUB1 00000163 HUBER D S
01 FC:8018 -10.00 0P

5/26/04

06/04/2004 SMITHHUB1 00000163 HUBER D S
01 FC:8018 10.00 0P